

Mark Scheme (Results)

Summer 2014

Pearson Edexcel GCSE
In Mathematics A (1MA0)
Higher (Calculator) Paper 2H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2014

Publications Code UG039400

All the material in this publication is copyright

© Pearson Education Ltd 2014

NOTES ON MARKING PRINCIPLES

- 1 All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2 Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- 3 All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4 Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5 Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6 Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

10 Probability

Probability answers must be given a fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

Guidance on the use of codes within this mark scheme

M1 – method mark
A1 – accuracy mark
B1 – Working mark
C1 – communication mark
QWC – quality of written communication
oe – or equivalent
cao – correct answer only
ft – follow through
sc – special case
dep – dependent (on a previous mark or conclusion)
indep – independent
isw – ignore subsequent working

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
1		$(4, 5\frac{1}{2})$	2	M1 for $\frac{2+6}{2}$ or $\frac{3+8}{2}$ or 4, 5½ without brackets A1 for $(4, 5\frac{1}{2})$ oe NB: $(4,5)$ gets 0 without working
2	(a)	Points plotted	1	B1 for points plotted at $(12, 6)$ and $(13, 2)$
	(b)	Description	1	B1 for description; accept negative correlation.
	(c)	5 – 7	2	M1 for evidence of use of graph eg a single straight line segment with negative gradient that could be used as a line of best fit or an indication on the diagram from 12 on the y axis. A1 for 5 – 7
3		2.064(285714...)	2	M1 for substitution of 0.7 into expression or 2.89 or 2.06 seen A1 for 2.064(285714...) or $\frac{289}{140}$
4		28.3	2	M1 for $\pi \times 9$ or $2 \times \pi \times 4.5$ oe A1 for 28.25 – 28.3
5		Translation $\begin{pmatrix} 5 \\ -3 \end{pmatrix}$	2	B1 for translation B1 for $\begin{pmatrix} 5 \\ -3 \end{pmatrix}$ NB No marks if more than one transformation given.
6		2.15 pm	3	M1 for $240 \div 60$ (=4) M1 for adding at least 3 of the 4 periods of time eg 20 (mins) + “4 (hrs)” + 25 (mins) + 30 (mins) (=5 h 15 min) oe or 2.15 without units A1 for 2.15 pm 14 15 (h or pm) oe

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
*7		54 with reasons	3	<p>M1 for angle RWY or angle $TWZ = 180 - 126 (= 54)$ or angle TWR or angle $WRS = 126$ (may be marked on diagram) A1 for 54 C1 for appropriate reasons for method shown eg. <u>Angles</u> on a straight <u>line</u> add up to <u>180</u> and <u>Alternate</u> angles are equal OR <u>Corresponding</u> angles are equal and <u>Angles</u> on a straight <u>line</u> add up to <u>180</u> OR Vertically <u>opposite</u> angles are equal and <u>Allied</u> angles / <u>Co-interior</u> angles add up to <u>180</u> OR <u>Angles</u> at a <u>point</u> add up to <u>360</u> with other reasons as above.</p>
8	(a)	$\frac{29}{100}$	2	<p>M1 for $13 + 11 + 5 (=29)$ A1 for $\frac{29}{100}$ oe (SC B1 for $\frac{16}{100}$ oe)</p>
	(b)	195	2	<p>M1 for $1500 \times \frac{13}{100}$ oe A1 for 195</p>
	(c)	reasons	2	<p>B2 for 2 valid reasons eg sample too small, customers at this time may not be representative of ages of all customers (B1 for 1 reason)</p>

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
9		$5\frac{2}{3}$	4	M1 for $AB = 2x$ or $DC = 2x + 4$ or for $38 - 4$ M1(dep) for $x + "x" + "2x" + "2x + 4"$ or for $"38 - 4" \div 6$ M1 for $"6x + 4" = 38$ A1 for $5\frac{2}{3}$ oe NB: Accept answers in the range 5.6 to 5.7 if M3 scored. SC if M0 then B2 for answer in range 5.6 – 5.7
10	(a)	p^6	1	B1 cao
	(b)	t^5	1	B1 cao
	(c)	6	1	B1 cao
	(d)	4	1	B1 cao
11		186.20	5	M1 for use of consistent units to find volume, $11 \times 4 \times 0.06 (=2.64)$ or $1100 \times 400 \times 6 (=2640000)$ M1 (dep on vol calculation) for attempt to find number of bags needed, eg $"2.64" \div 0.4 (=6.6 \rightarrow 7)$ M1 for the cost of gravel before discount eg $"6.6" \times 38$ or $"7" \times 38$ M1 for attempt to find the total cost after discount $"266" \times 0.7$ oe A1 for 186.2(0) OR M1 for cost of gravel per bag after discount, $38 \times 0.7 (=26.60)$ M1 for use of consistent units to find volume, $11 \times 4 \times 0.06 (=2.64)$ or $1100 \times 400 \times 6 (=2640000)$ M1 (dep on vol calculation) for attempt to find number of bags needed, eg $"2.64" \div 0.4$ M1 for total cost of gravel after discount $"7" \times "26.6"$ A1 for 186.2(0)

PAPER: 1MA0_2H					
Question		Working	Answer	Mark	Notes
12	(a)		$5n - 1$	2	B2 for $5n - 1$ oe (B1 for $5n + c$ ($c \neq -1$ or absent) or $n = 5n - 1$)
	(b)		$2(3n - n^2)$	1	B1 for $2(3n - n^2)$ oe
13	(a)		$-4, -3, -2, -1, 0$	2	B2 for all 5 correct values; ignore repeats, any order (B1 for 4 correct (and no incorrect) values or all 5 correct values and -5)
	(b)		$x > 4\frac{1}{2}$	2	M1 for an attempt to expand brackets (eg $6 \times x - 6 \times 2$) or $6x - 12$ or for an intention to divide both sides by 6 as the first step or for $4\frac{1}{2}$ oe seen A1 for $x > 4\frac{1}{2}$ oe
14		12, 24, 36, 48, 60, 72, 8, 16, 24, 32, 40, 48, 56, 64, 72,...	25.80	5	M1 for listing at least 3 multiples of each of 12 and 8 or 24 in two lists of multiples or from factor trees M1 (dep) for attempt to find a common multiple of 12 and 8 above 60 (=72) M1 (dep M2) for method to find the number of boxes and the number of packs $72 \div 12$ (=6) and $72 \div 8$ (=9) M1 for finding the total cost by multiplying numbers by cost and adding eg " 6 " \times 2.50 + " 9 " \times 1.20 A1 for 25.8(0)

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
15	(a)	7.5	3	M1 for $4.5^2 + 6^2 (=56.25)$ M1 for $\sqrt{56.25}$ or $\sqrt{(4.5^2 + 6^2)}$ A1 for 7.5
	(b)	217	4	M1 for use of appropriate trig ratio eg $\tan CAB = \frac{4.5}{6} (= 0.75)$, $\sin CAB = \frac{4.5}{"7.5"} (= 0.6)$, $\cos CAB = \frac{6}{"7.5"} (= 0.8)$ M1 for inverse trig shown correctly eg $CAB = \tan^{-1} \frac{4.5}{6} (= 0.75)$, $CAB = \sin^{-1} \frac{4.5}{"7.5"} (= 0.6)$, $CAB = \cos^{-1} \frac{6}{"7.5"} (= 0.8)$ A1 for 36.8 to 37 (or 53 to 53.2 if identified as <i>ACB</i>) B1ft for bearing $180 + "36.8"$ if "36.8" is not 40-50 eg 216.8 to 217
16		1.875×10^8	2	M1 for digits 1875 A1 cao
17	(a)	7.5	2	M1 for sight of $\frac{9}{6} (=1.5)$ oe or $\frac{6}{9} (=0.66..)$ oe or $\frac{5}{6} (=0.83..)$ oe or $\frac{6}{5} (=1.2)$ oe or a ratio, eg 6:9 oe or decimal, eg 1.5 oe A1 cao
	(b)	8	2	M1 for $12 \times \frac{6}{9}$ oe or $12 \div \frac{9}{6}$ oe or $\frac{12}{"7.5"} \times 5$ oe A1 cao

PAPER: 1MA0_2H																				
Question	Working	Answer	Mark	Notes																
18	(a)	209.69 or 209.70	3	M1 for $200 \times \frac{3.3}{100}$ oe or 200×1.033 or 6.6(0) or 206.6(0) M1 (dep) for $(200 + "6.6") \times \frac{1.5}{100}$ oe or $200 \times 1.033 \times 1.015$ oe or 3.099 or 3.09 or 3.10 or an answer between 209.69 and 209.7 A1 for 209.69 or 209.7(0)																
	(b)	<table border="0"> <tr> <td></td> <td>Train</td> <td>Pay</td> <td>Diff</td> </tr> <tr> <td>Old</td> <td>200</td> <td>510</td> <td>310</td> </tr> <tr> <td>New</td> <td>225</td> <td>535.50</td> <td>310.50</td> </tr> <tr> <td>Diff</td> <td>25</td> <td>25.50</td> <td>50p</td> </tr> </table>		Train	Pay	Diff	Old	200	510	310	New	225	535.50	310.50	Diff	25	25.50	50p	3	Comparison M1 for method to find cost of tickets before increase eg $\frac{225}{1.125}$ (=200) oe or $\frac{225}{112.5} \times 12.5$ oe or pay before increase, $\frac{535.50}{1.05}$ (=510) oe A1 for 25 (train) and 25.5(0) (pay) or 310 and 310.5(0) C1 (dep on M1) ft for statement comparing rises leading to conclusion based on two comparable amounts eg pay increase greater than train increase
	Train	Pay	Diff																	
Old	200	510	310																	
New	225	535.50	310.50																	
Diff	25	25.50	50p																	
19		(2, 1½, 1)	2	M1 for finding coordinates of P (6, 4, 3) or $OT = \frac{1}{3} OP$ or 2 correct coordinate values A1 oe																
20		75.5	3	M1 for $25 \times 67.8 (= 1695)$ or $55 \times 72.0 (= 3960)$ M1 (dep) for $(“3960” - “1695”) \div 30$ A1 cao																

PAPER: 1MA0_2H					
Question		Working	Answer	Mark	Notes
21	(a)	$y^2 - 2y - 5y + 10$	$y^2 - 7y + 10$	2	M1 for all 4 terms correct (condone incorrect signs) or 3 out of 4 terms correct with correct signs A1 cao
	* (b)	$(4n^2 + 2n + 2n + 1)$ $- (2n + 1)$ $= 4n^2 + 4n + 1 - 2n - 1$ $= 4n^2 + 2n$ $= 2n(2n + 1)$	Proof	3	M1 for 3 out of 4 terms correct in the expansion of $(2n + 1)^2$ or $(2n + 1)\{(2n + 1) - 1\}$ A1 for $4n^2 + 2n$ or equivalent expression in factorised form C1 for convincing statement using $2n(2n + 1)$ or $2(2n^2 + n)$ or $4n^2 + 2n$ to prove the result
*22			Yes	3	M1 for $1 - 0.6 (=0.4)$ M1 for $(“0.4”)^3$ oe C1 (dep on M1) for 0.064 oe leading to a correct deduction OR M1 for $1 - \text{Pr}(3H, 0T) - \text{Pr}(2H, 1T) - \text{Pr}(1H, 2T)$ oe M1 for $1 - (0.6)^3 - 3(0.6)^2(0.4) - 3(0.6)(0.4)^2$ C1 (dep on M1) for 0.064 oe leading to a correct deduction
23	(a)		Explanation	1	B1 for appropriate explanation eg “a sample in the same proportions as the population”
	(b)		26	2	M1 for $\frac{314}{“599”} \times 50 (=26.2\dots)$ A1 cao

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
24		8	3	<p>M1 for $p = \frac{k}{t}$ oe ($k \neq 1$) or $12 = \frac{k}{4}$</p> <p>M1 for correct method to find k or $p = \frac{48}{t}$ oe or (dep on M1) for $k=48$</p> <p>A1 cao</p> <p>OR</p> <p>M1 for $\frac{6}{4}$ oe</p> <p>M1 for $12 \div \frac{6}{4}$ oe</p> <p>A1 cao</p>
25		302	3	<p>M1 for $\frac{1}{2} \times \frac{4}{3} \times \pi \times 4^3$ oe (= 133.9 – 134.2)</p> <p>M1 for $\frac{1}{3} \times \pi \times 4^2 \times 10$ oe (= 167.4 – 167.7)</p> <p>A1 for 301 – 302 (or 96π or $\frac{288}{3}\pi$)</p>
26	$y(5y + 24) = 0$ $\frac{-24 \pm \sqrt{24^2}}{10}$	$x = 6, y = 0$ $x = -3.6, y = -4.8$	5	<p>M1 for substitution for elimination eg $(2y + 6)^2 + y^2 = 36$</p> <p>M1 (dep on M1) for expansion eg $4y^2 + 12y + 12y + 36$ (3 out of 4 terms correct)</p> <p>A1 for $4y^2 + 24y + 36 + y^2 = 36$ oe</p> <p>M1 for a correct attempt to solve a 2 or 3 term quadratic equation eg by factorising or correct substitution into a quadratic formula</p> <p>A1 for $x = 6, y = 0$ and $x = -3.6$ oe, $y = -4.8$ oe</p> <p>SC: B1 (if M0 scored) for all 4 values mis-associated or one correct pair of values.</p>

PAPER: 1MA0_2H				
Question	Working	Answer	Mark	Notes
27		43.9	5	<p>M1 for $\frac{11}{\sin 100} = \frac{9}{\sin D}$ oe</p> <p>M1 for $\sin D = \frac{9 \sin 100}{11}$ (=0.80575...) or $D = 53.68...$</p> <p>M1 for angle $DCA = 180 - 100 - "D"$ (=26.317..)</p> <p>M1 for area of $ABCD = 2 \times \frac{1}{2} \times 11 \times 9 \times \sin "26.317"$</p> <p>A1 for 43.8 – 43.9</p> <p>OR</p> <p>M1 for $\frac{11}{\sin 100} = \frac{9}{\sin D}$ oe</p> <p>M1 for $\sin D = \frac{9 \sin 100}{11}$ (=0.80575...) or $D = 53.68...$</p> <p>M1 for (height=) $9 \times \sin (180 - 100 - "D")$ or height = 3.990...</p> <p>M1 for area of $ABCD = (2 \times \frac{1}{2}) \times 11 \times \text{"height"}$</p> <p>A1 for 43.8 – 43.9</p> <p>OR</p> <p>M1 for $11^2 = AD^2 + 9^2 - 2 \times AD \times 9 \times \cos 100$</p> <p>M1 for $AD = \frac{18 \cos 100 + \sqrt{(18 \cos 100)^2 - 4(1)(-40)}}{2(1)}$</p> <p>M1 for $AD = \frac{18 \cos 100 + \sqrt{169.7(69795...)}}{2(1)}$ (= 4.95195(...))</p> <p>M1 for area of $ABCD = 2 \times \frac{1}{2} \times \text{"4.95195"} \times 9 \times \sin 100$</p> <p>A1 for 43.8 – 43.9</p>

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 1MA0_2H			
Question		Modification	Notes
Q02		1 ½cm grid (Crosses changed to solid circles)	Standard mark scheme
Q03	(a)	MLP only: x changed to y .	Standard mark scheme
Q09	(b)	On the diagram, AD is labelled as x cm	Standard mark scheme
Q19		model provided as well as diagram OP joined	Standard mark scheme
Q25		model provided as well as a diagram	Standard mark scheme
Q27		Wording inserted “AB is parallel to DC. AD is parallel to BC”.	Standard mark scheme

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Downloaded from TopLevels.co.uk