| Centre No. | | | | | | Paper Reference | | | | | | | Surname | Initial(s) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Candidate No. | | | | | | 6 | 6 | 8 | 4 | / | 0 | 1 | Signature | |

Paper Reference(s)

**6684/01**

# Edexcel GCE

## Statistics S2

## Advanced/Advanced Subsidiary

Monday 22 June 2015 – Morning

Time: 1 hour 30 minutes

Examiner's use only

| | | |
|---|---|---|
| | | |

Team Leader's use only

| | | |
|---|---|---|
| | | |

| Question Number | Leave Blank |
|---|---|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| Total | |

**Materials required for examination**
Mathematical Formulae (Pink)

**Items included with question papers**
Nil

**Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation or symbolic differentiation/integration, or have retrievable mathematical formulae stored in them.**

### Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.
Check that you have the correct question paper.
Answer ALL the questions.
You must write your answer to each question in the space following the question.
Values from the statistical tables should be quoted in full. When a calculator is used, the answer should be given to an appropriate degree of accuracy.

### Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.
Full marks may be obtained for answers to ALL questions.
The marks for individual questions and the parts of questions are shown in round brackets: e.g. **(2)**.
There are 7 questions in this question paper. The total mark for this paper is 75.
There are 24 pages in this question paper. Any blank pages are indicated.

### Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.
You should show sufficient working to make your methods clear to the Examiner.
Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Pearson Education Ltd copyright policy.
©2015 Pearson Education Ltd.

Printer's Log. No.
P44846A
W850/R6684/57570 5/1/1/

P 4 4 8 4 6 A 0 1 2 4

*Turn over*

PEARSON

Leave blank

**1.** In a survey it is found that barn owls occur randomly at a rate of 9 per 1000 $km^2$.

(a) Find the probability that in a randomly selected area of 1000 $km^2$ there are at least 10 barn owls.

**(2)**

(b) Find the probability that in a randomly selected area of 200 $km^2$ there are exactly 2 barn owls.

**(3)**

(c) Using a suitable approximation, find the probability that in a randomly selected area of 50000 $km^2$ there are at least 470 barn owls.

**(6)**

Leave blank

**Question 1 continued**

**(Total 11 marks)**

**Q1**

Leave blank

**2.** The proportion of houses in Radville which are unable to receive digital radio is 25%. In a survey of a random sample of 30 houses taken from Radville, the number, $X$, of houses which are unable to receive digital radio is recorded.

(a) Find $P(5 \leqslant X < 11)$

**(3)**

A radio company claims that a new transmitter set up in Radville will reduce the proportion of houses which are unable to receive digital radio. After the new transmitter has been set up, a random sample of 15 houses is taken, of which 1 house is unable to receive digital radio.

(b) Test, at the 10% level of significance, the radio company's claim. State your hypotheses clearly.

**(5)**

Leave blank

**Question 2 continued**

**Q2**

**(Total 8 marks)**



P 4 4 8 4 6 A 0 5 2 4

**Turn over**

Leave blank

**3.** A random variable $X$ has probability density function given by

$$f(x) = \begin{cases} kx^2 & 0 \leqslant x \leqslant 2 \\ k\left(1 - \dfrac{x}{6}\right) & 2 < x \leqslant 6 \\ 0 & \text{otherwise} \end{cases}$$

where $k$ is a constant.

(a) Show that $k = \dfrac{1}{4}$ **(4)**

(b) Write down the mode of $X$. **(1)**

(c) Specify fully the cumulative distribution function $F(x)$. **(5)**

(d) Find the upper quartile of $X$. **(4)**



P 4 4 8 4 6 A 0 6 2 4

Leave blank

**Question 3 continued**

Leave blank

**Question 3 continued**

Leave blank

**Question 3 continued**

**Q3**

**(Total 14 marks)**

Leave blank

**4.** The continuous random variable $L$ represents the error, in metres, made when a machine cuts poles to a target length. The distribution of $L$ is a continuous uniform distribution over the interval [0, 0.5]

(a) Find $P(L < 0.4)$.

**(1)**

(b) Write down $E(L)$.

**(1)**

(c) Calculate $Var(L)$.

**(2)**

A random sample of 30 poles cut by this machine is taken.

(d) Find the probability that fewer than 4 poles have an error of more than 0.4 metres from the target length.

**(3)**

When a new machine cuts poles to a target length, the error, $X$ metres, is modelled by the cumulative distribution function $F(x)$ where

$$F(x) = \begin{cases} 0 & x < 0 \\ 4x - 4x^2 & 0 \leqslant x \leqslant 0.5 \\ 1 & \text{otherwise} \end{cases}$$

(e) Using this model, find $P(X > 0.4)$

**(2)**

A random sample of 100 poles cut by this new machine is taken.

(f) Using a suitable approximation, find the probability that at least 8 of these poles have an error of more than 0.4 metres.

**(3)**

Leave blank

**Question 4 continued**

Leave blank

**Question 4 continued**

Leave blank

**Question 4 continued**

**Q4**

**(Total 12 marks)**



P 4 4 8 4 6 A 0 1 3 2 4

**Turn over**

Leave blank

**5.** *Liftsforall* claims that the lift they maintain in a block of flats breaks down at random at a mean rate of 4 times per month. To test this, the number of times the lift breaks down in a month is recorded.

(a) Using a 5% level of significance, find the critical region for a two-tailed test of the null hypothesis that 'the mean rate at which the lift breaks down is 4 times per month'. The probability of rejection in each of the tails should be as close to 2.5% as possible.
**(3)**

Over a randomly selected 1 month period the lift broke down 3 times.

(b) Test, at the 5% level of significance, whether *Liftsforall*'s claim is correct. State your hypotheses clearly.
**(2)**

(c) State the actual significance level of this test.
**(1)**

The residents in the block of flats have a maintenance contract with *Liftsforall*. The residents pay *Liftsforall* £500 for every quarter (3 months) in which there are at most 3 breakdowns. If there are 4 or more breakdowns in a quarter then the residents do not pay for that quarter.

*Liftsforall* installs a new lift in the block of flats.

Given that the new lift breaks down at a mean rate of 2 times per month,

(d) find the probability that the residents do not pay more than £500 to *Liftsforall* in the next year.
**(6)**

Leave blank

**Question 5 continued**

Leave blank

**Question 5 continued**

Leave blank

**Question 5 continued**

**Q5**

**(Total 12 marks)**

Leave blank

**6.** A continuous random variable $X$ has probability density function $\mathrm{f}(x)$ where

$$\mathrm{f}(x) = \begin{cases} kx^n & 0 \leqslant x \leqslant 1 \\ 0 & \text{otherwise} \end{cases}$$

where $k$ and $n$ are positive integers.

(a) Find $k$ in terms of $n$.

**(3)**

(b) Find $\mathrm{E}(X)$ in terms of $n$.

**(3)**

(c) Find $\mathrm{E}(X^2)$ in terms of $n$.

**(2)**

Given that $n = 2$

(d) find $\mathrm{Var}(3X)$.

**(3)**

Leave blank

**Question 6 continued**

Leave blank

**Question 6 continued**

Leave blank

**Question 6 continued**

**Q6**

**(Total 11 marks)**

Leave blank

**7.** A bag contains a large number of 10p, 20p and 50p coins in the ratio $1:2:2$

A random sample of 3 coins is taken from the bag.

Find the sampling distribution of the median of these samples.

**(7)**

Leave blank

**Question 7 continued**

Leave blank

**Question 7 continued**

Q7

**(Total 7 marks)**

**TOTAL FOR PAPER: 75 MARKS**

**END**



P 4 4 8 4 6 A 0 2 4 2 4