

GCSE

Chemistry B (Twenty First Century Science)

J258/01: Breadth in chemistry (Foundation)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.















This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

| Annotation | Meaning |
|---|--|
|  | Correct response |
|  | Incorrect response |
|  | Omission mark |
|  | Benefit of doubt given |
|  | Contradiction |
|  | Rounding error |
|  | Error in number of significant figures |
|  | Error carried forward |
|  | Level 1 |
|  | Level 2 |
|  | Level 3 |
|  | Benefit of doubt not given |
|  | Noted but no credit given |
|  | Ignore |

1. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|---------------------|---|
| / | alternative and acceptable answers for the same marking point |
| ✓ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| — | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

2. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.


You should ensure that you have copies of these materials.


You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Chemistry B:

| | Assessment Objective |
|--------------|---|
| AO1 | Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures. |
| AO1.1 | Demonstrate knowledge and understanding of scientific ideas. |
| AO1.2 | Demonstrate knowledge and understanding of scientific techniques and procedures. |
| AO2 | Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures. |
| AO2.1 | Apply knowledge and understanding of scientific ideas. |
| AO2.2 | Apply knowledge and understanding of scientific enquiry, techniques and procedures. |
| AO3 | Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures. |
| AO3.1 | Analyse information and ideas to interpret and evaluate. |
| AO3.1a | Analyse information and ideas to interpret. |
| AO3.1b | Analyse information and ideas to evaluate. |
| AO3.2 | Analyse information and ideas to make judgements and draw conclusions. |
| AO3.2a | Analyse information and ideas to make judgements. |
| AO3.2b | Analyse information and ideas to draw conclusions. |
| AO3.3 | Analyse information and ideas to develop and improve experimental procedures. |
| AO3.3a | Analyse information and ideas to develop experimental procedures. |
| AO3.3b | Analyse information and ideas to improve experimental procedures. |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|---|-------|------------|--|
| 1 | (a) | Turns blue litmus red then white. ✓ | 1 | 1.2 | |
| | (b) | Chlorine is used to kill <u>micro-organisms</u> in water. ✓ This stops the untreated water causing <u>diseases</u> . ✓ Chlorine can be hazardous because it is <u>toxic</u> . ✓ | 3 | 3×1.1 | |
| | (c) | Diagram contains: shared pair of electrons ✓ 6 electrons around the rest of the chlorine atom AND 0 electrons around the rest of the hydrogen atom ✓ | 2 | 2×1.2 | ALLOW any clear representation of electrons (dots, crosses, dots and crosses etc.) e.g.  |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|------|--|-------|------------------|---|
| 2 | (a) | (i) | covalent bonds ✓ shared electrons ✓ | 2 | 2×1.2 | |
| | | (ii) | It shows the shape of the molecule ✓ | 1 | 1.2 | |
| | (b) | | The molecular formula of butane is C ₄ H ₁₀ . ✓ Butane can be shown as ✓  | 2 | 2×1.2 | |
| | (c) | | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 83 (%) award 3 marks % = $48/58 \times 100$ ✓ = 82.7(58) (%) ✓ = 83 (%) (2sf) / 2 significant figures for value calculated ✓ | 3 | 2×2.2 1.2 | ALLOW one mark for '82' without working ALLOW one mark for sig figs if calculation incorrect as indicated in answer column |


| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|------|---|-------|------------|---|
| 3 | (a) | (i) | Use (of the light bulb) ✓ | 1 | 2.1 | |
| | | (ii) | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 2122 (MJ) award 2 marks 2011 light = $343 + 3 + 3540 = 3886$ (MJ) AND 2015 light = $132 + 2 + 1630 = 1764$ (MJ) ✓ Difference = $3886 - 1764 = 2122$ (MJ) ✓ | 2 | 2×2.1 | ALLOW (3540 – 1630 =) 1910 for 1 mark (ECF using use of the light bulb data only) |
| | (b) | | Disposal / AW ✓ | 1 | 1.2 | ALLOW any 'end of life' wording e.g. recycling, thrown away, dismantled |
| | (c) | | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 54 (%) award 2 marks Decrease = $3540 - 1630 = 1910$ ✓ % decrease = $1910 / 3540 \times 100 = 54$ (%) ✓ | 2 | 2×2.2 | ALLOW 55 (%) for 1 mark (ECF) |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|--|-------|------------|--|
| 4 | (a) | water / AW ✓ | 1 | 1.1 | |
| | (b) | Any two from: <ul style="list-style-type: none"> • produce less polluting gases ✓ • produce less/no CO₂ / only produces water ✓ • Reduces use of fossil fuels ✓ • Plentiful supply of water as source of H ✓ | 2 | 2×1.1 | IGNORE More general references to pollution ALLOW 'produce less poisonous gases' ALLOW lasts longer / won't run out |
| | (c) | (i) A ✓ | 1 | 1.1 | |
| | | (ii) B ✓ | 1 | 2.1 | |
| | (d) | (i) 18 ✓ | 1 | 2.2 | |
| | | (ii) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1200 (kJ) award 2 marks 20/4 = 5 ✓ Energy = 5 × 240 = 1200 (kJ) ✓ | 2 | 2×2.2 | |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|--|-------|------------|---|
| 5 | (a) | The spoon will melt ✓ The temperature (of hot tea) is above 30°C / AW ✓ | 2 | 2×3.2b | ALLOW soften IGNORE 'because the melting point is low' unless linked to the tea/water. DO NOT ALLOW second point if BPt water quoted incorrectly, or if water is compared to the BPt of gallium instead of the MPt. |
| | (b) | it has similar reactions to aluminium ✓ | 1 | 1.1 | |
| | (c) | Ga ³⁺ ✓ | 1 | 2.1 | |
| | (d) | There are strong attractions between the ions. ✓ A lot of energy is needed to separate the ions ✓ | 2 | 2×1.1 | |
| | (e) | Any two from: <ul style="list-style-type: none"> • catches fire ✓ • fizzes more ✓ • moves around faster ✓ | 2 | 2×1.2 | IGNORE 'the potassium melts' IGNORE general statements about reactivity - reacts quicker / more violently / hotter |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|------|---|-------|------------|----------|
| 6 | (a) | (i) | A > C > B ✓ | 1 | 1.2 | |
| | | (ii) | A ✓ | 1 | 2.1 | |
| | (b) | | Copper / Cu ✓ | 1 | 2.1 | |
| | (c) | | Top line: electron ✓ Bottom line: metal ion ✓ | 2 | 2×1.1 | |
| | (d) | | Conducts electricity ----- Electrons can move ✓ Malleable ----- Particles in the metal can slide over each other ✓ | 2 | 2×1.1 | |

| Question | | Answer | Marks | AO element | Guidance | | | | | | |
|----------|--------|--|-------|------------|--|---------|-----|-----|---|-------|--|
| 7 | (a) | Any one from: <ul style="list-style-type: none"> • is solid sphere / no empty space / AW ✓ • no nucleus AND (orbiting) particles / electrons ✓ | 1 | 1.1 | IGNORE statements about the 'plum pudding' model | | | | | | |
| | (b) | electron(s) ✓ | 1 | 1.1 | | | | | | | |
| | (c) | <table style="width: 100%; border: none;"> <tr> <td style="width: 30%;"></td> <td style="width: 30%; text-align: center;">charge</td> <td style="width: 30%; text-align: center;">mass</td> </tr> <tr> <td>neutron</td> <td style="text-align: center;">0 ✓</td> <td style="text-align: center;">1 ✓</td> </tr> </table> | | charge | mass | neutron | 0 ✓ | 1 ✓ | 2 | 2×1.1 | |
| | charge | mass | | | | | | | | | |
| neutron | 0 ✓ | 1 ✓ | | | | | | | | | |
| | (d) | protons: 9 ✓ neutrons 10 ✓ | 2 | 2×2.1 | | | | | | | |
| | (e) | <p>Correct statement about Kai's first statement (atoms smaller than molecules) with evidence of reference to data in table ✓</p> <p>Correct statement about Kai's second statement (atoms NOT smaller than protons) with evidence of reference to data in table ✓</p> | 2 | 2×3.2a | <p>Look for numbers or statements related to the table</p> <p>Look for annotations on the table itself</p> | | | | | | |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|-------|---|-------|------------|--|
| 8 | (a) | (i) | points plotted correctly ✓ curve of best fit drawn (to 60 s) ✓ | 2 | 2×2.2 |  <p>ALLOW plotted to +/- half a scale division DO NOT ALLOW dot to dot line</p> |
| | | (ii) | 291 ± 0.5 ✓ | 1 | 3.2a | |
| | | (iii) | F on curve at t = 0 ✓ | 1 | 1.2 | |
| | (b) | (i) | (Rate of change) gets slower / decreases (as time increases) / AW ✓ | 1 | 3.1a | 'During the reaction' is in the stem, so doesn't need stating IGNORE 'Mass decreases over time'. It tells us that mass changes but doesn't describe the change. |
| | | (ii) | Slope / tangent measured rate gets less / AW ✓ | 1 | 3.1a | ALLOW goes from steep to flat |
| | | (iii) | (CO ₂) gas is given off / made / evolved / lost ✓ | 1 | 2.1 | |

| | | | | | | |
|--|------------|-------------|--|----------|---------------|--------------------------------------|
| | | | | | | |
| | (c) | | conical flask ✓ burette ✓ | 2 | 2x3.3a | |
| | (d) | (i) | Yes, because readings agree within 0.1 / close together / similar / concordant ✓ | 1 | 3.1b | ALLOW no anomalies / outliers |
| | | (ii) | 20.1(0) ✓ | 1 | 2.2 | |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|---|-------|------------|---|
| 9 | (a) | $\text{Zn} + \text{H}_2\text{SO}_4 \rightarrow \underline{\text{ZnSO}_4} + \text{H}_2$ ✓ | 1 | 2.2 | Small 'n', large 'O' and subscript '4' must be recognisable. |
| | (b) | Hydrogen / H_2 ✓ | 1 | 1.2 | |
| | (c) | surface area is greater / more collisions per second ✓ | 1 | 2.1 | IGNORE easier for acid to get to / easier to break down / energy arguments |
| | (d) | The copper sulfate is left at the end ✓ The activation energy is lower with the catalyst present ✓ | 2 | 2×1.2 | |

| Question | | Answer | Marks | AO element | Guidance |
|----------|-----|---|-------|------------|----------|
| 10 | (a) | there is a mixture of N ₂ , O ₂ and NO ✓ the reaction N ₂ (g) + O ₂ (g) → 2NO(g) goes in both directions ✓ | 2 | 2×1.2 | |
| | (b) | it is too acidic ✓ | 1 | 1.1 | |
| | (c) | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 15 (%) award 2 marks Yield = 9 / 60 × 100 ✓ Yield = 15 (%) ✓ | 2 | 2×2.2 | |

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|------|---|-------|------------|--|
| 11 | (a) | (i) | strong (covalent) bonds / <u>bonds</u> need a lot of energy to break / each atom bonded to 4 others / lots of bonds/ giant covalent structure ✓ | 1 | 1.1 | DO NOT ALLOW – incorrect type of bonding DO NOT ALLOW ‘strong intermolecular forces / strong intermolecular bonds’ |
| | | (ii) | One mark for each property linked to its correct explanation: PROPERTY <ul style="list-style-type: none"> Slippery / soft / lubricating / marks paper / flakes easily (Electrical / thermal) conductivity Strength (along layer) EXPLANATION <ul style="list-style-type: none"> layers (with weak bonds between) delocalised/free electrons / sea of electrons / electrons can move strong bonds (within layers) | 2 | 2x2.1 | ALLOW one mark for two independent properties OR two independent explanations OR one property and one explanation IGNORE ‘intermolecular’ IGNORE melting point, boiling point |
| | (b) | | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 3.4 (g) award 2 marks mass = 1 / 0.29 OR 3.448 / 3.45 / 3.5 etc✓ mass = -3.4 (g) ✓ | 2 | 2x2.2 | Answer must be to two sig figs |
| | (c) | (i) | FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0037 (g) award 2 marks 44/12 ✓ Mass = 0.0037 (g) / 3.7×10^{-3} (g)✓ | 2 | 2x2.2 | Answer must be to two sig figs |

| | | | | | |
|--|--|---|----------|---------------|---|
| | | (ii) Idea that volume or density of diamond and graphite are different / volume or density are irrelevant ✓ Both contain the same amount (12g) of carbon / graphite is pure carbon and thus makes 44g / same mass of CO ₂ produced as same mass of C in each / same number of carbon atoms present in each ✓ | 2 | 2x3.2a | ALLOW distance between atoms is irrelevant |
|--|--|---|----------|---------------|---|

| Question | | | Answer | Marks | AO element | Guidance |
|----------|-----|-------|---|-------|------------|--|
| 12 | (a) | (i) | propanone and ethanol ✓ | 1 | 1.1 | ALLOW propanone only |
| | | (ii) | propanone ✓ | 1 | 2.2 | |
| | (b) | (i) | (Filter) paper ✓ | 1 | 1.2 | |
| | | (ii) | solvent is above line / dot ✓ otherwise dot will (mostly) dissolve / spread out / dot/dye <u>does not</u> travel up paper ✓ | 2 | 2×3.3b | |
| | | (iii) | yellow spot ✓ $R_f = \text{distance moved by spot} \div \text{distance moved by solvent front}$ / largest distance moved by a spot / nearest solvent front ✓ | 2 | 1.1 2.2 | |
| | (c) | | Kareem/it is not pure AND because there is more than one spot / ORA ✓ | 1 | 3.2b | ALLOW 'several spots / dots / colours' ALLOW contains 3 or 4 components/substances/chemicals ALLOW idea of can be separated IGNORE 'more than one <u>dye</u> ' IGNORE it is a mixture |
| | (d) | | Sharp (AW) melting point / temperature / melting point same as reference value ✓ | 1 | 2.2 | IGNORE melting point high IGNORE melts at the same <u>time</u> |

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

